



PANEL SPECIFICATIONS

WALL PANEL CONSTRUCTION / FINISH		
WALL PANEL FACING MATERIAL		
<input type="checkbox"/>	PAINTED ALUMINUM: (0.040") C/W KYNAR 2 COAT SYSTEM (PRIMER & COLOR), COLOR WHITE ON BOTH SIDES	
<input type="checkbox"/>	WHITE P.V.C.	
CORE CONSTRUCTION:		
<input type="checkbox"/>	ALUMINUM HONEYCOMB: 0.5" CELL	
<input type="checkbox"/>	POLYSTYRENE	
PANEL DIMENSIONS:		
A -	STANDARD WALL HEIGHT 106" (OTHER HEIGHTS AVAILABLE)	
B -	STANDARD PANEL WIDTH 46.5"	
C -	STANDARD WALL THICKNESS 2"	

SURFACE BURNING CHARACTERISTICS

TEST METHOD	FLAME SPREAD	SMOKE DEVELOPED
ASTM E84	5	30

REV	DESCRIPTION	DATE	DRAWN
8	GENERAL REVIEW	30 OCT 09	P.F.
7	GENERAL REVIEW	11 APR 06	P.F.
6	GENERAL REVIEW	SEPT 05	M.L.
5	GENERAL REVIEW	8 AUG 05	P.F.
4	GENERAL REVIEW	JULY 2005	M.L.
3	NEW WALL PANEL DETAILS & LAYOUT	20 NOV 03	M.L.
2	COLOUR PLOT MODIFIED	17 FEB 03	DL/MM
1	ORIGINAL ISSUE	06 FEB 03	DL/MM

REVISIONS



MICROZONE CORPORATION
86 HARRY DOUGLAS DRIVE, OTTAWA, ONTARIO, CANADA K2S 2C7
TEL: (613) 831-8318 www.microzone.com FAX: (613) 831-8321

INTRODUCTION TO MODULAR CLEANROOMS AND CONTAINMENT FACILITY SYSTEMS

Drawing Title: **2" WALL PANEL**

Drawn By: PF / ML	Checked By: PF	Scale: N.T.S.	Date: 20 NOV. 03
Issue: - - - -	Job Number: - - - - -	Drawing Number: CRW3-1	
Sheet: - - - -	Revision: 8		

UNLESS OTHERWISE NOTED, THIS DRAWING REMAINS THE PROPERTY OF MICROZONE CORPORATION. IT SHALL NOT BE REPRODUCED OR USED FOR MANUFACTURE, DESIGN OR CONSTRUCTION WITHOUT THE EXPRESSED WRITTEN AUTHORIZATION BY THE OWNER. THE RECIPIENT, BY ACCEPTING THIS DRAWING, ASSUMES THE COSTLY RISK AND UNDER THE ABOVE TERMS AGREES NOT TO ALLOW ITS USE BY UNAUTHORIZED PERSONS, WITHOUT INCURRING LIABILITY FOR PENALTIES IMPOSED BY LAW.